
Subject: Re: valueTableType

Posted by [Joerg von Lingen](#) on Tue, 12 Jul 2005 13:01:23 GMT

[View Forum Message](#) <> [Reply to Message](#)

Martin,

yes, this was clearly a mistake. It will be rectified in the new schema version.

```
<xsd:element name="valueLine" maxOccurs="unbounded">
  <xsd:annotation>
    <xsd:documentation>set of values related to a speed value (one table
line)</xsd:documentation>
    <xsd:documentation>History:
V0.93 added
    V1.01 changed maxOccurs to "unbounded" to allow one line per speed
value</xsd:documentation>
  </xsd:annotation>
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="values" maxOccurs="unbounded">
        <xsd:annotation>
          <xsd:documentation>the values related to a speed value
themselves</xsd:documentation>
        </xsd:annotation>
      </xsd:element>
    </xsd:sequence>
    <xsd:attribute name="speedValue" type="xsd:decimal" use="required"/>
  </xsd:complexType>
</xsd:element>
```

Regards,
Jörg von Lingen

Martin Jacob wrote the following on 30.06.2005 17:29:

```
> Hello,
>
> I would like to ask how to use the valueTableType with more than one row. As I understand the
element valueLine should
> can occure at least once up to undounded but at the moment it has to occure exactly once.
>
> May we change the occurance of valueLine to 1..*?
>
> Martin
```