

Dear Torben,

Am 18.02.2019 um 11:26 schrieb Torben Brand:

- > [...] I would suggest grouping all signal in
- > standard sub elements. These can of course be extended.

Sounds good, let's have a look at the issue in detail and combine it with a proposal:

- > [...]
- > Suggested signal sub elements (groups of signals):
- > • Announcement: Announcement by the train of its
- > presence. Can be with different signals. Usually blowing the
- > whistle (boolean value). Can be defined for one or multiple
- > purpose (boolean: levelCrossing, halt, etc.)

```
<isAnnouncementSignal>  
@type = {"whistle", "horn", ...}  
@refersToElement = {reference to level crossing, halt, etc.}
```

- > • Border: Indicating a level transition. Type start/end.
- > The system attribute defines the type of level transition
- > (ATC,CTC, ETCS, Conventional/optical).

```
<isSystemBorderSignal>?
```

- > • catenary

```
<isCatenarySignal>  
.... have it already
```

- > • danger: grouping all types of warning signals:
- > avalanche, wind, frost gate, bridge, etc.

```
<isDangerSignal>  
Is a fouling point (clearance post) also a danger signal?
```

- > • gradient: indicating falling/rising gradient and other
- > info.
- > • Info: general design info. Like arrows, invalid boards,
- > and info panels.

```
summarize both in <isInformationSignal>
```

- > • level crossing

<isLevelCrossingSignal>

.... have it already

- > • main: all route related signals
- > • movement: all signals giving an indication of the movement that are not main or shunting signals (line signals, derailleurs, switch and crossing indicators)

<isTrainMovementSignal>

This includes main signals, distant signals, repeaters...

- > • plow: orders for handling the equipment on the train.
- > Here the plow.

<isVehicleEquipmentSignal>?

@type = {snowplowUp, snowplowDown, ...}

- > • Position: mileposts and distance signals (f.i. to level crossings)

<isPositionSignal>

@refersToPositioningSystem

@isMilepost

- > • Shunting: shunting related signals

integrate in <isTrainMovementSignal>

Some countries don't distinguish between shunting and train movements.

- > • Speed

<isSpeedSignal>

.... have it already

- stop post

<isStopPost>

.... have it already

Best regards

Christian

--

Christian Rahmig - Infrastructure scheme coordinator

railML.org (Registry of Associations: VR 5750)

Phone Coordinator: +49 173 2714509; railML.org: +49 351 47582911

