

---

Subject: Re: <crossSection>.ocpTrackID

Posted by [Susanne Wunsch railML](#) on Mon, 12 Nov 2012 11:37:36 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Christian Rahmig <coord@infrastructure.railml.org> writes:

>> the attribute <crossSection>.ocpTrackID is defined as "xs:unsignedByte".

>> This is impracticable and probably unintended. We should either define

>> it as something like tGenericRef (and probably rename it into

>> "ocpTrackRef") or define it as a simple xs:string for common use.

>

> Thank you for your comment. With the ticket [1] I renamed the

> attribute <crossSection>.ocpTrackID into ocpTrackRef and assigned it

> to type tGenericRef.

>

> [1] <https://trac.assembla.com/railML/ticket/151>

I'm sorry but I don't understand the semantics of the attribute 'ocpTrackRef' within the element 'crossSection'.

A 'crossSection' is already positioned at a certain track and may refer to its appropriate ocp with the attribute 'ocpRef'.

The old "ocpTrackID" typed as 'unsignedByte' looks a bit like an intended platform number. That may be now defined with the newly introduced 'platformEdge' element.

But where should the "ocpTrackRef" refer to? What have I missed?

Any comments appreciated.

Kind regards...

Susanne

--

Susanne Wunsch

Schema Coordinator: railML.common

---