
Subject: compound values, notations

Posted by [Joachim Buechse](#) on Thu, 25 Sep 2003 14:25:51 GMT

[View Forum Message](#) <> [Reply to Message](#)

The RailML scheme currently uses compound values in some places. I.e. Kilometrierung [12.123 | 123.334+1.567] or arrivalTime [hh:mm | hh:mm:ss | hh:mm,d].

XML leaves a large degree of freedom for the definition of data types besides the standard XMLSchema data types. It is absolutely legitimate to define new types. From what I have seen so far it is however rather unusual to define compound types or allow different notations for the same semantical value.

As a general rule I want to suggest that different notations for the same attribute value should be discouraged as end-user representation should be within the scope of the application not the data transfer format.

Kilometrierung uses a compound type where the second 'attribute' is optional. While the notation is perfectly clear in a rail context it could as well be expressed with two separate 'attributes' which avoids the need to implement a special parser for the data type. From my stomachs feeling this would be cleaner XML (at least it allows easier processing with XSLT).

arrivalTime (or departureTime) allows different notations and uses a compound value in the case hh:mm,d. The notation implies a precision of 10th of a minute. Again I would argue that it would be a cleaner XML approach to have two 'attributes' both expressed as hh:mm:ss where 13:24,3 would be expressed as arrivalTime="12:34:30" arrivalPrecision="00:00:10".

There are some predefined XSDSchema types expressing points in time (i.e. a single unique point in stellar time) or recurring time (ie noon). Examples are time and timeInstant. Both use a time representation of hh:mm:ss.ddd where ddd are milliseconds. I cant currently give a clear recommendation whether we gain something (regarding existing toolkits) by sticking to the same format.

Best regards,
Joachim Buechse

PS: I believe there have been detailed discussion before in which format arrivalTime and departureTime should be expressed (ie time zones) so I will read the protocolls and news messages before starting it again... Semantically they seem to me like a timeInstant (GMT time on first

scheduled day) + repetition rule. Of course daylight savings time needs some special consideration. I will have a chance to talk to the people from Hacon in about two weeks.

--

buechse@ergon.ch, Phone +41 1 268 89 58, Fax +41 1 260 20 65
Ergon Informatik AG, Kleinstrasse 15, 8008 Zuerich, Switzerland
<http://www.ergon.ch>

e r g o n smart people - smart software
